

Page 1 of 6

**BTI-072** Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 1/31/2018 SDS Revision: 1.0 1. PRODUCT & COMPANY IDENTIFICATION 11 Product Name ANTIQUE BLACK® M80 1.2 Chemical Name: Acid Mixture 1.3 Synonyms 750251, 750258 Antique Black® M80 Trade Names: 1.4 Product Use: 1.5 Blackening Solution for Brass & Copper Distributor's Name: 1.6 Birchwood Laboratories LLC 7900 Fuller Road, Eden Prairie, MN 55344 USA Distributor's Address: 1.7 18 Emergency Phone: ChemTrec +1 (800) 424-9300 / +1 (703) 527-3887 or Poison Control Center +1 (855) 281-1742 1.9 Business Phone / Fax: +1 (952) 937-7900 / +1 (952) 937-7979 2. HAZARDS IDENTIFICATION 2.1 Hazard Identification: This product is classified as a hazardous substance and as dangerous goods according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia). DANGER! MAY BE CORROSIVE TO METALS. CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. TOXIC IF SWALLOWED OR INHALED. COROSSIVE TO THE RESPIRATORY TRACT. Classification: Acute Tox. - Oral 3; Eye Dam. 1; Acute Tox. - Inh. 3; EUH071 Label Elements: 2.2 Hazard Statements (H): H290 - May be corrosive to metals. H314 - Causes severe skin burns and eye damage. H301+H331 - Toxic if swallowed or inhaled. EUH071 - Corrosive the respiratory Precautionary Statements (P): P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P234 - Keep only in original packaging. P261 – Avoid breathing dust/mist/vapor/spray. P264 – Wash thoroughly after handling. P270 – Do not eat, drink or smoke when using this product. P271 – Use only outdoors or in a wellventilated area. P273 - Avoid release to the environment. P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P363 - Wash contaminated clothing before reuse. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 - Immediately call a POISIN CENTER/doctor. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment see this container label or Section 4 of this SDS. P370+P378 - In case of fire: Use fire-extinguishing media appropriate for surrounding materials. P390 – Absorb spillage to prevent material-damage. P403+P233 – Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P406 - Store in a corrosion resistant container with a resistant inner liner. P501 – Dispose of contents/ container to an approved waste disposal plant Other Warnings: 2.3 If medical advice is needed have product container or label at hand. KEEP OUT OF REACH OF CHILDREN. Read label before use. Do not handle until all safety precautions have been read and understood. In the event of an exposure or medical inquiry involving this product, please contact a physician or local poison control center, who may seek advice

	3. C	OMPOSIT	ION & IN	<u>GREDI</u>	<u>ENT</u>	INF	ORN	<u> TAN</u>	ION				
								EXPO	SURE L	IMITS IN	I AIR (m	g/m³)	
					ACGIH ppm		NOHSC ppm		OSHA ppm				
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
MATER	7732-18-5	ZC0110000	231-791-2	60-100	NE	NE	NF	NF	NF	NE	NE	NE	
WATER													
PHOSPHORIC ACID	7664-38-2	TB6300000	231-633-2	7-13	(1)	(3)	NF	NF	NF	NA	NA	1000	
PHOSPHORIC ACID	Metal Corr. 1	Metal Corr. 1; Skin Corr. 1B; H290, H314											
NITRIC ACID	7697-37-2	QU5775000	231-714-2	1-10	2	4	2	NF	NF	2	NA	25	
NITRIC ACID	Met. Corr. 1;	Met. Corr. 1; Skin Corr. 1A; Acute Tox. 3; EUH071; H290, H314, H331											
SELENIOUS ACID	7783-00-8	VS7175000	231-974-7	1-5	(0.2)	NA	(0.2)	NF	NF	(0.2)	NA	NA	
SELENIOUS ACID	Acute Tox	Inh 3; Acute Tox.	- Oral 3; STOT F	RE 2; Acute	Aq. Tox	. 1; Chi	ronic Ad	Tox.	1; H301	, H331			
CUPRIC SULFATE	7758-99-8	NA	NA	1-5	(1)	NA	NF	NF	NF	(1)	NA	1000	
CUFRIC SULFATE	Acute Tox. 4	· H302											



Page 2 of 6 BTI-072

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 1/31/2018

		4. FIRST AID MEASURES
4.1	First Aid:	Ingestion:  DO NOT INDUCE VOMITING. Contact SafetyCall +1 (855) 281-1742 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.
		Eyes: If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately.
		Skin: Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists and/or the skin reaction worsens, contact a physician immediately. Do not wear contaminated clothing until after it has been properly cleaned.
		Inhalation: Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial respiration. Seek immediate medical attention.
4.2	Effects of Exposure:	Eyes: Severe or permanent eye damage.  Skin: Burns upon direct contact.  Ingestion: Severe burns of mouth, throat, stomach.
4.3	Symptoms of Overexposure:	Inhalation:       Severe irritation or burns in respiratory tract and mucous membranes. Possible lung damage.         Eyes:       Redness, burning, irritation, and swelling around eyes         Skin:       Redness, burning, itching, rash, blistering of skin.         Ingestion:       Nausea, vomiting, severe abdominal pain.         Inhalation:       Coughing, wheezing, swelling of throat, irritation in mucous membranes, difficulty breathing.
4.4	Acute Health Effects:	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin.
4.5	Chronic Health Effects:	May damage the nervous system, kidney and/or liver.
4.6	Target Organs:	Eyes, Skin, Nervous System, Kidneys, Liver, Respiratory System, Spleen, Blood Forming Organs, Bones.
4.7 Medical Conditions Aggravated by Exposure:		Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, skin, respiratory system, liver, blood-forming organs) or impaired kidney function may be more susceptible to the effects of this substance.    HEALTH   3
		EYES SKIN LUNGS
4.8	Notes to Physician:	This product contains <u>Selenious Acid</u> and is potentially fatal if ingested even in small amounts. 24-hour admissio should be considered in asymptomatic or minimally symptomatic patients as delayed toxic effects including pulmonar edema and multi-organ failure may occur. 24/7 medical toxicology consultation is available at +1 (855) 281-1742.
		5. FIREFIGHTING MEASURES
5.1	Fire & Explosion Hazards:	Non-flammable. May react with metals to release hydrogen gas, which can form explosive mixtures with air. May intensity fire; oxidizer.
5.2	Extinguishing Methods:	Use fire-extinguishing media appropriate for surrounding materials.
5.3	Firefighting Procedures:	As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, phosphorous, selenium and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway.
		6. ACCIDENTAL RELEASE MEASURES
6.1	Spills:	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Use safety glasses or safety goggles and face shield; use gloves and other protective clothing (e.g. apron, boots, etc.) to prevent skin contact.  Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible inert material such as vermiculite or sand to soak up the product and place into a container for later disposal.
		<u>Large Spills</u> : Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spin or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warran Recover as much free liquid as possible and collect in acid-resistant container. Use absorbent to pick up residue. Avoid discharging liquid directly into a sewer or surface waters.



Page 3 of 6 BTI-072

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 1/31/2018

		7. HANDLING	& STC	RAG	E INFO	<u>RMA</u>	TION				
7.1	Work & Hygiene Practices:	Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Immediately clean-up and decontaminate any spills or residues.									
7.2	Storage & Handling:	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Store in acid-resistant containers. Make sure containers are suitably labeled. Keep containers covered when not in use. Avoid temperatures above 40 °C (120 °F). Keep away from incompatible substances (see Section 10). Protect containers from physical damage. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in a corrosion resistant container with a resistant inner liner.									
7.3	Special Precautions:	Empty containers may retain haza contaminated items immediately contaminated clothing or footwear	and tho	oughly	in water b	efore re	-wearing	or disca	ding. [		
		8. EXPOSURE CONT	POI 9	& DE	PSON	AI DE	OTEC	TION			
8.1	Exposure Limits:	6. EXPOSORE CONT	ACC		NOON	NOHSC	COILC	IIOIN	OSHA		OTHER
0.1	ppm (mg/m³)					ES-	ES-				OTHER
		CHEMICAL NAME(S) PHOSPHORIC ACID	(1)	(3)	ES-TWA NF	STEL NF	PEAK NF	PEL NA	STEL NA	1000	
		NITRIC ACID	2	4	2	NF	NF	2	NA NA	25	
		SELENIOUS ACID	(0.2)	NA	(0.2)	NF	NF	(0.2)	NA	NA	
		CUPRIC SULFATE	(1)	NA	NF	NF	NF	(1)	NA	1000	
8.2	Ventilation & Engineering Controls:	Use local or general exhaust vent handling of this product. Ensure wash station).									
8.3	Respiratory Protection:	In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.									
8.4	Eye Protection:	Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended.									
8.5	Hand Protection:	Wear protective, chemical-resistant gloves (e.g., neoprene) when using or handling this product.									
8.6	Body Protection:	A chemical resistant apron and/o product.	r protect	ve cloth	ng are re	commend	ded when	handling	or usin	g this	93
		9. PHYSICAL	& CHI	EMIC	AL PRO	PER	TIES				
9.1	Appearance:	Clear, blue liquid									
9.2	Odor:	Odorless									
9.3	Odor Threshold:	NA									
9.4	pH:	< 1.0									
9.5	Melting Point/Freezing Point:	NA									
9.6	Initial Boiling Point/Boiling Range:	> 100 °C (> 212 °F)									
9.7	Flashpoint:	NA									
9.8	Upper/Lower Flammability Limits:	NA									
9.9	Vapor Pressure:	NA									
9.10	Vapor Density:	< 1.0 (air = 1.0)									
9.11	Relative Density:	1.10									
9.12	Solubility:	Complete (water)									
9.13	Partition Coefficient (log Pow):	NA									
9.14	Autoignition Temperature:	NA									
9.15	Decomposition Temperature:	NA									
9.16	Viscosity:	NA									
9.17	Other Information:	Evaporation Rate: < 1.0 (ethyl ethe	er = 1.0)								
		10. STA	BILIT	/ & R	EACTI	VITY					
10.1	Stability:	Stable at normal temperatures.		· · ·							
10.2	Hazardous Decomposition Products:	Reaction with organics and stror decomposition may produce selen									
10.3	Hazardous Polymerization:	Will not occur.									
10.4	Conditions to Avoid:	Excessive heat.									
10.5	Incompatible Substances:	Cyanides, water-reactive substan	ces. stro	ng reduc	ing agent	s. chlorin	ated clea	ners or s	anitizers	comb	ustible organic



Page 4 of 6 BTI-072

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 1/31/2018 SDS Revision: 1.0 11. TOXICOLOGICAL INFORMATION Inhalation: YES Routes of Entry: Absorption: YES Inaestion: 11 1 NO 11.2 Toxicity Data: Phosphoric Acid: LD<sub>50</sub> (oral, rat) = 1,530 mg/kg; Cupric Sulfate: LD<sub>50</sub> (oral, rat) = 300 mg/kg 11.3 Acute Toxicity See Section 4.4 See Section 4.5 11.4 Chronic Toxicity Selenious Acid is listed by IARC on Group 3 (not classifiable as to its carcinogenicity to humans). 11.5 Suspected Carcinogen: This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov Reproductive Toxicity: 11.6 This product is not reported to cause reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. This product is not reported to produce embryotoxic effects in humans. Embryotoxicity: Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. Irritancy of Product: 11.7 See Section 4.2 11.8 Biological Exposure Indices: NF Physician Recommendations: 11.9 Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability There are no specific data available for this product. Effects on Plants & Animals: 122 There are no specific data available for this product. 123 Effects on Aquatic Life: Very toxic to aquatic life with long lasting effects. Phosphoric Acid: EC<sub>50</sub> (Daphnia magna, 12h) = 4.6 mg/L 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler. 13.2 Special Considerations U.S. EPA Hazardous Waste - Characteristic - Corrosive (D002), Characteristic - Toxic (D010) 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, NITRIC ACID), 8, II. (LTD QTY. IP VOL  $\leq$  1.0 L) 14.2 IATA (AIR): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, NITRIC ACID), 8, II, (LTD QTY, IP VOL  $\leq$  0.1 L) IMDG (OCN): 14.3 UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, NITRIC ACID), 8, II, MARINE POLLUTANT, (LTD QTY, IP VOL ≤ 1.0 L) 14.4 TDGR (Canadian GND): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, NITRIC ACID), 8, II, (LTD QTY, IP VOL ≤ 1.0 L) ADR/RID (EU): 14.5 UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, NITRIC ACID), 8, II, (LTD QTY, IP VOL ≤ 1.0 L) SCT (MEXICO): UN3264, LIQUIDOS, CORROSIVOS, ACIDO, INORGANICO, N.E.P(PHOSPHORIC ACID, NITRIC ACID), 14.6 8, II, (CANT. LTDA., IP VOL ≤ 1.0 L) 14.7 ADGR (AUS): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, NITRIC ACID), 8, II, (LTD QTY, IP VOL ≤ 1.0 L) 15. REGULATORY INFORMATION 15 1 SARA Reporting This product contains Selenious Acid, Cupric Sulfate and Phosphoric Acid, substances subject to SARA Title III, Section Requirements 313 reporting requirements. SARA TPQ: 15.2 302 TPQ (Nitric Acid): 1,000 lbs (454 kg) 15.3 TSCA Inventory Status The components of this product are listed on the TSCA Inventory. 15.4 CERCLA Selenious Acid: 10 lbs (4.54 kg); Cupric Sulfate: 10 lbs (4.54 kg); Phosphoric Acid: 5,000 lbs (2,270 kg); Nitric Acid: Quantity: 1,000 lbs (454 kg) Other Federal Requirements: 15.5 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class D1, E (Materials Causing Immediate and Serious Toxic Effects, Corrosive).



Page 5 of 6 BTI-072

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 1/31/2018

		15 DECLUATORY INFO	ADMATION contid
45.7	Otata Damilatani lafannakan	15. REGULATORY INFO	
15.7	State Regulatory Information:		criteria lists: FL, MA, MN, and PA.
		No other ingredients in this product, present in state criteria lists: California Proposition 65 Substances List (FL), Massachusetts Hazard Minnesota Hazardous Substances List (MN), N	a concentration of 1.0% or greater, are listed on any of the following (CA65), Delaware Air Quality Management List (DE), Florida Toxic lous Substances List (MA), Michigan Critical Substances List (MI), lew Jersey Right-to-Know List (NJ), New York Hazardous Substances ), Washington Permissible Exposures List (WA), Wisconsin Hazardous
		harm. For more information go to www.P65Warr	known to the State of California to cause cancer or other reproductive nings.ca.gov.
15.8	Other Requirements:	NA	
		16. OTHER INFO	ORMATION
16.1 16.2 16.3	Other Information:  Terms & Definitions:  Disclaimer:	swallowed. Toxic if inhaled. Corrouse. Do not handle until all safety precautions has breathing dust/mist/vapor/spray. Wash thorough Use only outdoors or in a well-ventilated area. clothing/ eye protection/ face protection. IF SW hair): Take off immediately all contaminated clobefore reuse. IF INHALED: Remove person to from CENTER/doctor. IF IN EYES: Rinse cautiously easy to do. Continue rinsing. Specific treatment prevent material-damage. Store in a well-ventila corrosion resistant container with a resistant inner See last page of this Safety Data Sheet.  This Safety Data Sheet is offered pursuant to C government regulations must be reviewed for a Technologies' knowledge, the information contains	SIVE TO RESPIRATORY TRACT. Obtain special instructions before ave been read and understood. Keep only in original packaging. Avoid ally after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/ protective ALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or thing. Rinse skin with water or shower. Wash contaminated clothing esh air and keep comfortable for breathing. Immediately call a POISIN with water for several minutes. Remove contact lenses, if present and - see this container labels or section 4 of this SDS. Absorb spillage to ted place. Keep container tightly closed. Store locked up. Store in a r liner. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.  DSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other applicability to this product. To the best of ShipMate's & Birchwood ned herein is reliable and accurate as of this date; however, accuracy, d no warranties of any type, either expressed or implied, are provided.
			to the specific product(s). If this product(s) is combined with other idered. Data may be changed from time to time. Be sure to consult the
16.4	Prepared for:	Birchwood Technologies 7900 Fuller Road Eden Prairie, MN 55344 USA Tel: +1 (952) 937-7900 Fax: +1 (952) 937-7979 http://www.birchwoodtechnologies.com	BIRCHWOOD® TECHNOLOGIES
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate  Dangerous Goods Training & Consulting



Page 6 of 6 **BTI-072** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 1/31/2018

#### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

#### **EXPOSURE LIMITS IN AIR:**

ACGIH	American Conference on Governmental Industrial Hygienists				
IDLH	IDLH Immediately Dangerous to Life and Health				
NOHSC	NOHSC National Occupational Health and Safety Commission (Australia)				
OSHA	OSHA U.S. Occupational Safety and Health Administration				
PEL	PEL Permissible Exposure Limit				
STEL	Short Term Exposure Limit				
TLV	Threshold Limit Value				
TWA Time Weighted Average					

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**


0	Minimal Hazard			
1	Slight Hazard			
2	Moderate Hazard			
3	Severe Hazard			
4	Extreme Hazard			



#### PERSONAL PROTECTION RATINGS:

Α			
В			
С		型	
D		型	
Ε			
F		The state of the s	

G				
Н				
ı				
J				
K	Fg		M	
Х	Consult y	our supe andling d	rvisor or irections.	SOPs for



#### OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
	· ·
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:				
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			

#### **HAZARD RATINGS:**

Minimal Hazard		FLAMMABILITY		
1	Slight Hazard			
2	Moderate Hazard	REACTIVITY		
3	Severe Hazard			
4	Extreme Hazard			
ACD	Acidic			
ALK	Alkaline			
COR	Corrosive	/ <b>\ \ \ \</b>		
W Use No Water		HEALTH		
ОХ	Oxidizer	SPECIAL		
TREFOIL Radioactive		PRECAUTION		

#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals	
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal	
ppm	Concentration expressed in parts of material per million parts	
TD <sub>Io</sub> Lowest dose to cause a symptom		
TCLo	Lowest concentration to cause a symptom	
TD <sub>lo</sub> , LD <sub>lo</sub> , & LD <sub>o</sub> or Lowest dose (or concentration) to cause lethal or toxic effects		
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>		
IARC	International Agency for Research on Cancer	
NTP	National Toxicology Program	
RTECS	Registry of Toxic Effects of Chemical Substances	
BCF	Bioconcentration Factor	
TL <sub>m</sub>	Median threshold limit	
log K <sub>ow</sub> or log K <sub>oc</sub>	Coefficient of Oil/Water Distribution	

#### REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	PA U.S. Environmental Protection Agency					
DSL	SL Canadian Domestic Substance List					
NDSL	NDSL Canadian Non-Domestic Substance List					
PSL	PSL Canadian Priority Substances List					
TSCA	TSCA U.S. Toxic Substance Control Act					
EU	EU European Union (European Union Directive 67/548/EEC)					
WGK	WGK Wassergefährdungsklassen (German Water Hazard Class)					

#### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>®</b>		<b>(2)</b>	$\Theta$	(%)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

	<b>③</b>		$\Diamond$			$\Leftrightarrow$		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment