BIRCHWOOD

## SAFETY DATA SHEET

Page 1 of 6 BTI-060

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 3/14/2017 SDS Revision: 2.0 1. PRODUCT & COMPANY IDENTIFICATION 11 Product Name PRESTO BLACK<sup>®</sup> PBR4 1.2 Chemical Name: Acid Mixture 1.3 Synonyms 580358 Presto Black<sup>®</sup> PBR4 1.4 Trade Names: 1.5 Product Use: Blackening Solution for Iron & Steel Distributor's Name: 1.6 **Birchwood Laboratories LLC** 7900 Fuller Road, Eden Prairie, MN 55344 USA Distributor's Address: 1.7 18 Emergency Phone: ChemTrec +1 (800) 424-9300 / +1 (703) 527-3887 or Poison Control Center +1 (855) 281-1742 1.9 Business Phone / Fax: +1 (952) 937-7900 / +1 (952) 937-7979 2. HAZARDS IDENTIFICATION 2.1 Hazard Identification: This product is classified as a hazardous substance and as dangerous goods according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia). DANGER! TOXIC IF SWALLOWED. CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. MAY CAUSE RESPIRATORY IRRITAITON. VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. Classification: Acute Toxicity 3; Skin Corrosion 1B; Acute Tox. 4; Chronic Aquatic Toxicity 1 2.2 Label Elements: Hazard Statements (H): H301 - Toxic if swallowed. H314 - Causes severe skin burns and eye damage. H319 Causes serious eye irritation. H335 - May cause respiratory irritation. H410 -Very toxic to aquatic life with long lasting effects. Precautionary Statements (P):P260 - Do not breathe dust or mist. P264 - Wash thoroughly with soap and water after handling. P270 - Do not eat drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P273 - Avoid release to the environment. P280 - Wear protective gloves/ eye and face protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P332+P313 - If skin irritation occurs: Get medical advice/attention. P363 - Wash contaminated clothing before reuse. P304+P340 - IF INHALED: Remove person to fresh air at once and keep comfortable for breathing. P310 -Immediately call a POISON CENTER/doctor. P321 Specific treatments see this container label. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P391 - Collect spillage. P403+P233 - Store in a well ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents/ container to an approved waste disposal plant. 2.3 Other Warnings: In the event of an exposure or medical inquiry involving this product, please contact a physician or local poison control center, who may seek advice from the U.S. manufacturer, and show them this SDS. Keep out of reach of children. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m<sup>3</sup>) ACGIH NOHSC OSHA ppm ppm ppm FS-ES-FS-TLV STEL PEAK PEL STEL IDLH CHEMICAL NAME(S) CAS No. RTECS No EINECS No TWA STEL OTHER % 7732-18-5 ZC0110000 231-791-2 60-100 NE NE NF NF NF NE NE NE WATER 7783-00-8 VS7175000 231-974-7 < 15.0 (0.2) NA (0.2) NF NF (0.2) NA NA SELENIOUS ACID Acute Toxicity-Inh 3; Acute Toxicity-Oral 3; STOT RE 2; Acute Aquatic Toxicity 1; Chronic Aquatic Toxicity 1; H301, H331, H400, H410 7798-23-4 232-254-5 232-254-5 1-13 (1) NA NF NF (0.1) NA NA FUME, DUST COPPER (II) PHOSPHATE Acute Toxicity-Oral 3; H301, H410 TB6300000 7664-38-2 231-633-2 1-5 (1) (3) NF NF NF NA NA 1000 PHOSPHORIC ACID Skin Corrosion 1B; H314 4. FIRST AID MEASURES Do not induce vomiting. Call +1 (855) 281-1742 for emergency medical advice. If vomiting occurs, keep First Aid: 4.1 Ingestion: victim's head lowered (forward) to keep vomit from entering the lungs. Call 911 for emergency medical transport if any symptoms noted. Remove and discard contact lenses if worn and flush eyes with large amounts of water for at least 20 Eyes: minutes. Seek immediate medical attention when done rinsing eyes. Remove contaminated clothing and wash exposed skin with large amounts of soap and water. Seek <u>Skin</u>: medical attention if any blistering, swelling or open sores develop. Inhalation: Move victim to fresh air. Contact emergency medical services (911) if any difficulty in breathing occurs or if victim loses consciousness.



# SAFETY DATA SHEET

Page 2 of 6 **BTI-060** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.0

SDS Revision Date: 3/14/2017

		4. FIRST AID MEASURES – cont'd				
4.2	Effects of Exposure:	Eyes: Severe or permanent eye damage.				
		Skin: Burns upon direct contact.				
		Ingestion: Severe burns of mouth, throat, stomach.				
		Inhalation: Severe irritation or burns in respiratory tract and mucous me	embranes. I	Possible lung	damage.	
4.3	Symptoms of Overexposure:	Eyes: Redness, burning, irritation, and swelling around eyes				
		Skin: Redness, burning, itching, rash, blistering of skin.				
		Ingestion: Nausea, vomiting, severe abdominal pain.				
	A suite the slife Effection	Inhalation: Coughing, wheezing, swelling of throat, irritation in mucous				
4.4	Acute Health Effects:	May be harmful if inhaled. Material is extremely destructive to the tissue o tract. May be harmful if swallowed. Causes burns. May be harmful if absorb			s and upper resp	iratory
4.5	Chronic Health Effects:	May damage the nervous system, kidney and/or liver.				
4.6	Target Organs:	Eyes, skin, nervous system, kidneys, liver, respiratory system.				-
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of the target	HEALTH			3
		organs (eyes, skin, and respiratory system) or impaired kidney function may be more susceptible to the effects of this substance. 1`	<b>FLAMM</b>	ABILITY		0
		may be more susceptible to the effects of this substance. T	PHYSIC	AL HAZAR	)S	2
					-	Н
					T T	п
4.8	Notes to Physician:		EYES	SKIN	LUNGS	
		This product contains <u>Selenious Acid</u> and is potentially fatal if ingeste should be considered in asymptomatic or minimally symptomatic patient edema and multi-organ failure may occur. 24/7 medical toxicology consult	s as delaye	d toxic effect	s including puln	
		5. FIREFIGHTING MEASURES				
5.1	Fire & Explosion Hazards:	Non-flammable. May react with metals to release hydrogen gas, which with air. May intensity fire; oxidizer. Keep/Store away from clothing/ com			ures	
5.2	Extinguishing Methods:	Use fire-extinguishing media appropriate for surrounding materials.				
		approved or equivalent self-contained breathing apparatus (SCBA) and p as for surrounding materials. Hazardous decomposition products				ົງ
		degradation may produce oxides of carbon, phosphorous, selenium ar and/or derivatives. Fire should be fought from a safe distance. Keep cont fire is out. Use water spray to cool fire-exposed surfaces and to protect Prevent runoff from fire control or dilution from entering sewers, drains, or natural waterway.	nd/or nitroge ainers cool u personal. I	en, hydrocarb until well after Fight fire upw	oons the rind.	~
		and/or derivatives. Fire should be fought from a safe distance. Keep cont fire is out. Use water spray to cool fire-exposed surfaces and to protect Prevent runoff from fire control or dilution from entering sewers, drains, on natural waterway.	nd/or nitroge ainers cool o personal. I drinking wat	en, hydrocarb until well after Fight fire upw	oons the rind.	
6.1	Spills:	and/or derivatives. Fire should be fought from a safe distance. Keep cont fire is out. Use water spray to cool fire-exposed surfaces and to protect Prevent runoff from fire control or dilution from entering sewers, drains, natural waterway. 6. ACCIDENTAL RELEASE MEASURE	nd/or nitroge ainers cool o personal. I drinking wat	en, hydrocarb until well after Fight fire upw er supply, or	oons the rind. any	
6.1	Spills:	and/or derivatives. Fire should be fought from a safe distance. Keep cont fire is out. Use water spray to cool fire-exposed surfaces and to protect Prevent runoff from fire control or dilution from entering sewers, drains, on natural waterway.	ad/or nitroge ainers cool of personal. I drinking wat <b>ES</b> of must wea ; use gloves d protective e into a cont vay from spi anel out of ain ng respirator	en, hydrocarb until well after Fight fire upw er supply, or ar appropriate and other pr eyewear. Us cainer for later II. Stay upwin rea. Stop spi ry protection	e Personal Prot otective clothing se a non-combur disposal. Ind and away fro Il or release if it of as conditions w	(e.g., stible, m spill can be arrant.
6.1	Spills:	and/or derivatives. Fire should be fought from a safe distance. Keep cont fire is out. Use water spray to cool fire-exposed surfaces and to protect Prevent runoff from fire control or dilution from entering sewers, drains, or natural waterway. <b>6. ACCIDENTAL RELEASE MEASURE</b> Before cleaning any spill or leak, individuals involved in spill cleanut Equipment (PPE). Use safety glasses or safety goggles and face shield apron, boots, etc.) to prevent skin contact. <u>Small Spills</u> : Wear appropriate protective equipment including gloves and inert material such as vermiculite or sand to soak up the product and plac Large Spills: Keep incompatible materials (e.g., organics such as oil) aw or release. Isolate immediate hazard area and keep unauthorized persor done with minimal risk. Wear appropriate protective equipment including Recover as much free liquid as possible and collect in acid-resistant con	ad/or nitroge ainers cool of personal. I drinking wat <b>ES</b> or must weat to a cont vay from spi nel out of at ng respirator tainer. Use	en, hydrocarb until well after Fight fire upw er supply, or ar appropriate and other pr eyewear. Us cainer for later II. Stay upwin rea. Stop spi ry protection	e Personal Prot otective clothing se a non-combur disposal. Ind and away fro Il or release if it of as conditions w	(e.g., stible, m spill can be arrant.
6.1	Spills: Work & Hygiene Practices:	and/or derivatives. Fire should be fought from a safe distance. Keep cont fire is out. Use water spray to cool fire-exposed surfaces and to protect Prevent runoff from fire control or dilution from entering sewers, drains, on natural waterway. <b>6. ACCIDENTAL RELEASE MEASURE</b> Before cleaning any spill or leak, individuals involved in spill cleanut Equipment (PPE). Use safety glasses or safety goggles and face shield apron, boots, etc.) to prevent skin contact. <u>Small Spills</u> : Wear appropriate protective equipment including gloves and inert material such as vermiculite or sand to soak up the product and place <u>Large Spills</u> : Keep incompatible materials (e.g., organics such as oil) aw or release. Isolate immediate hazard area and keep unauthorized persor done with minimal risk. Wear appropriate protective equipment including Recover as much free liquid as possible and collect in acid-resistant con discharging liquid directly into a sewer or surface waters. <b>7. HANDLING &amp; STORAGE INFORMAT</b> Avoid breathing mists or spray. Avoid eye and skin contact. Wear protection of the reach of children. Do not eat, drink or smoke when handling this pr expose to heat and flame. Use only in ventilated areas. Keep out of the	Advor nitroge ainers cool of personal. I drinking wat <b>S</b> o must wea ; use gloves d protective e into a cont vay from spi innel out of ain ng respirator tainer. Use <b>ION</b> ve equipme roduct. Was	en, hydrocarb until well after Fight fire upw er supply, or ar appropriate and other pr eyewear. Us ainer for later II. Stay upwin rea. Stop spi ry protection absorbent to nt when hance sh thoroughly	Anno any	ep out
		and/or derivatives. Fire should be fought from a safe distance. Keep cont fire is out. Use water spray to cool fire-exposed surfaces and to protect Prevent runoff from fire control or dilution from entering sewers, drains, on natural waterway. <b>6. ACCIDENTAL RELEASE MEASURE</b> Before cleaning any spill or leak, individuals involved in spill cleanuf Equipment (PPE). Use safety glasses or safety goggles and face shield apron, boots, etc.) to prevent skin contact. <u>Small Spills</u> : Wear appropriate protective equipment including gloves and inert material such as vermiculite or sand to soak up the product and place <u>Large Spills</u> : Keep incompatible materials (e.g., organics such as oil) aw or release. Isolate immediate hazard area and keep unauthorized persor done with minimal risk. Wear appropriate protective equipment including Recover as much free liquid as possible and collect in acid-resistant con discharging liquid directly into a sewer or surface waters. <b>7. HANDLING &amp; STORAGE INFORMAT</b> Avoid breathing mists or spray. Avoid eye and skin contact. Wear protecti of the reach of children. Do not eat, drink or smoke when handling this pr	ad/or nitroge ainers cool of personal. I drinking wat <b>ES</b> or must wea ; use gloves d protective e into a cont and out of ain nel out of ain nel out of ain ner spirator tainer. Use <b>ION</b> we equipme roduct. Was a reach of cont st ventilation en not in us	en, hydrocarb until well after Fight fire upw er supply, or ar appropriate and other pr eyewear. Us cainer for later II. Stay upwin rea. Stop spi ry protection absorbent to nt when hanc sh thoroughly hildren. Imm n, fans) away e. Avoid tem	e Personal Prot otective clothing e a non-combu- disposal. Ind and away fro ll or release if it as conditions w pick up residue.	ep out Do not arcand direct



# SAFETY DATA SHEET

Page 3 of 6 **BTI-060** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.0

SDS Revision Date: 3/14/2017

		8. EXPOSURE CON	<u>rro</u> ls	<u>5 &amp; </u> PE	RSON	<u>AL</u> PI	<u>ROTEC</u>	<u>CTION</u>	<u> </u>		
3.1	Exposure Limits:		AC	GIH		NOHSC			OSHA		OTHER
	ppm (mg/m <sup>3</sup> )	CHEMICAL NAME(S)	TLV	STEL	ES-TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	
		SELENIOUS ACID	(0.2)	NA	(0.2)	NF	NF	(0.2)	NA	NA	
		PHOSPHORIC ACID	(1)	(3)	NF	NF	NF	NA	NA	1000	
		COPPER (II) PHOSPHATE	(1)	NA	NF	NF	NF	(0.1)	NA	NA	FUME, DU
.2	Ventilation & Engineering Controls:	Use local or general exhaust ver handling of this product. Ensure station).									
3.3	Respiratory Protection:	In instances where vapors or spr- use only protection authorized by CAS Standard Z94.4-93 and a Australia.	29 CFR	§1910.13	4, applicat	ble U.S. S	State regul	lations, o	r the Can	adian	
3.4	Eye Protection:	Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended.									
3.5	Hand Protection:	Wear protective, chemical-resista	int gloves	(e.g., ne	oprene) wł	nen using	ı or handliı	ng this pr	oduct.		
3.6	Body Protection:	A chemical resistant apron and/ product.	or protec	tive cloth	ing are re	commen	ded when	handling	g or usin	g this	
		9. PHYSICAL	8 64	EMIC			TIES				
).1	Appearance:	9. FITSICAL Clear blue liquid									
9.2	Odor:	odorless									
1.3	Odor Threshold:	NA									
.0	pH:	1.2									
.4	Melting Point/Freezing Point:										
		NA									
.6	Initial Boiling Point/Boiling Range:	> 100 °C (> 212 °F)									
.7	Flashpoint:	NA									
.8	Upper/Lower Flammability	NA									
.9	Limits: Vapor Pressure:	NA									
.10	Vapor Density:	< 1.0 (air = 1.0)									
.10	Relative Density:	· · · ·									
0.12	Solubility:	1.070									
9.12	Partition Coefficient (log Pow):	Complete (water)									
).13 ).14		NA									
	Autoignition Temperature:	NA									
9.15	Decomposition Temperature:	NA									
9.16	Viscosity:	NA									
9.17	Other Information:	Evaporation Rate: < 1.0 (ethyl eth	ner = 1.0)								
		10. ST/		Y & R	FACTI	VITY					
0.1	Stability:	Stable at normal temperatures.	<u></u>								
10.2	Hazardous Decomposition Products:	Reaction with organics and stro decomposition may produce sele	0	0 0	•		0	nides an	id hydrog	jen sele	enide. Therr
0.3	Hazardous Polymerization:	Will not occur.									
0.4	Conditions to Avoid:	Excessive heat, shock, friction.									
0.5	Incompatible Substances:	Cyanides, water-reactive substa materials, most metals.	nces, stro	ong redu	cing agent	s, chlorir	nated clea	aners or	sanitizers	s, comb	ustible orga
		11. TOXICO			NFOR	ΜΑΤΙά	ON				
1.1	Routes of Entry:	Inhalation: YES			Absorption:	YES			Ingest	ion: NO	)
1.2	Toxicity Data:	Phosphoric Acid: LD <sub>50</sub> (oral, rat) :	= 1530 m	a/ka				1	-		-
1.3	Acute Toxicity:	See Section 2.4		<u>.</u>							
1.4	Chronic Toxicity:	See Section 2.5									
1.5	Suspected Carcinogen:	Components in this product are li	sted by IA	RC as G	roup <u>3</u> (No	t classifia	able as to	its carcin	ogenicity	to hum	ans)
1.6	Reproductive Toxicity:	This product is not reported to ca									· .
	Mutagenicity:	This product is not reported to pro									
	Embryotoxicity:	This product is not reported to pro									
	Teratogenicity:	This product contains nickel sulfa					enic effect	s in huma	ans.		
	Reproductive Toxicity:	This product is not reported to ca	use repro	ductive e	ffects in hu	imans.					

BIRCHWOOD

# SAFETY DATA SHEET

Page 4 of 6 **BTI-060** 

Pren	ared to OSHA_ACC_ANS	SI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 3/14/2017
Пер		51, NOTSC, WHINIS, CHS & 1272/2000/EC Standards 505 (Revision: 2.0 505 (Revision Date: 3/14/2017
		11. TOXICOLOGICAL INFORMATION – cont'd
11.7	Irritancy of Product:	See Section 4.2
11.8	Biological Exposure Indices:	NE
11.9	Physician Recommendations:	Treat symptomatically.
12.1	Environmental Stability:	12. ECOLOGICAL INFORMATION   There are no specific data available for this product.
12.2	Effects on Plants & Animals:	There are no specific data available for this product.
12.3	Effects on Aquatic Life:	Very toxic to aquatic life with long lasting effects.
	1	13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler.
13.2	Special Considerations:	U.S. EPA Hazardous Waste – Characteristic - Corrosive (D002), Characteristic - Toxic (D010)
		14. TRANSPORTATION INFORMATION
		nber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.
14.1	49 CFR (GND):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID), 8, III, LTD QTY (IP VOL ≤ 5.0 L)
14.2	IATA (AIR):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID), 8, III, LTD QTY (IP VOL ≤ 0.5 L)
14.3	IMDG (OCN):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID), 8, III, LTD QTY (IP VOL ≤ 5.0 L) Marine Pollutant: Copper Phosphate
14.4	TDGR (Canadian GND):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID), 8, III, LTD QTY (IP VOL ≤ 5.0 L)
14.5	ADR/RID (EU):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID), 8, III, LTD QTY (IP VOL ≤ 5.0 L)
14.6	SCT (MEXICO):	UN3264, LIQUIDOS, CORROSIVOS, ACIDO, INORGANICO, N.E.P. (ACIDO PHOSPHORIC), 8, III, CANTIDAD LIMITADA (IP VOL ≤ 5.0 L)
14.7	ADGR (AUS):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID), 8, III, LTD QTY (IP VOL ≤ 5.0 L)
		15. REGULATORY INFORMATION
15.1	SARA Reporting Requirements	
15.2	SARA TPQ:	NA
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
15.4	CERCLA Reportable Quantity:	Phosphoric Acid: 5,000 lbs (2,270 kg) Selenious Acid: 10 lbs (4.54 kg)
15.5 15.6	Other Federal Requirements: Other Canadian Regulations:	NA This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class E (Corrosive Material). WHMIS Class D1 (Materials Causing Immediate and
15.7	State Regulatory Information:	Serious Toxic Effects).   Selenious Acid is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), Pennsylvania Right-to-Know List (PA), and Wisconsin Hazardous Substances List (WI).   Phosphoric Acid is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (WI).   Phosphoric Acid is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN) and Pennsylvania Right-to-Know List (PA).   No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MA), Mex York Hazardous Substances List (MI), Minnesota Hazardous Substances List (MJ), New York Hazardous Substances List (MI), Minnesota Hazardous Substances List (MJ), New York Hazardous Substances List (MI), Minnesota Hazardous Substances List (MJ), New York Hazardous Substances List (MI), Minnesota Hazardous Substances List (MI), New Jersey Right-to-Know List (NJ), New York Hazardous Substances
		List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).
15.8	Other Requirements:	NA

BIRCHWOOD, TECHNOLOGIES

# SAFETY DATA SHEET

Page 5 of 6 **BTI-060** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.0

SDS Revision Date: 3/14/2017

		16. OTHER INFO	DRMATION	
16.1	Other Information:	DANGER! TOXIC IF SWALLOWED. CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. Causes severe burns to eyes and skin. Avoid excessive heat. Do not breathe dust/fumes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.		
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.		
16.3	Disclaimer:	government regulations must be reviewed for a Technologies' knowledge, the information contai suitability or completeness is not guaranteed an The information contained herein relates only	SHA's Hazard Communication Standard, 29 CFR §1910.1200. Other applicability to this product. To the best of ShipMate's & Birchwood ned herein is reliable and accurate as of this date; however, accuracy, d no warranties of any type, either expressed or implied, are provided. to the specific product(s). If this product(s) is combined with other idered. Data may be changed from time to time. Be sure to consult the	
16.4	Prepared for:	Birchwood Technologies 7900 Fuller Road Eden Prairie, MN 55344 USA Tel: +1 (952) 937-7900 Fax: +1 (952) 937-7979 http://www.birchwoodtechnologies.com	BIRCHWOOD TECHNOLOGIES	
16.5	Prepared by:	ShipMate, Inc.   P.O. Box 787   Sisters, Oregon 97759-0787 USA   Tel: +1 (310) 370-3600   Fax: +1 (310) 370-5700   http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting	



### **SAFETY DATA SHEET**

Page 6 of 6 **BTI-060** 

REACTIVITY

SPECIAL PRECAUTIONS

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.0

SDS Revision Date: 3/14/2017

### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

#### EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists	
IDLH	IDLH Immediately Dangerous to Life and Health	
NOHSC	National Occupational Health and Safety Commission (Australia)	
OSHA	U.S. Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
STEL	Short Term Exposure Limit	
TLV	Threshold Limit Value	
TWA	Time Weighted Average	

#### FIRST AID MEASURES:


stopp	iopulmonary resuscitation - method in which a person whose heart has bed receives manual chest compressions and breathing to circulate blood provide oxygen to the body.
-------	--

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

### HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

	0	Minimal Hazard	HEALTH
	1	Slight Hazard	FLAMMABILITY
ſ	2	Moderate Hazard	PHYSICAL HAZARDS
ĺ	3	Severe Hazard	PERSONAL PROTECTION
ĺ	4	Extreme Hazard	

### PERSONAL PROTECTION RATINGS:



#### OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA			
FLAMMABILI	TY LIMITS IN AIR:		
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition		
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will		

explode or ignite in the presence of an ignition source

### HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	FLANIMADILITT
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	/ < 4
W	Use No Water	HEALTH
ох	Oxidizer	
TREFOIL	Radioactive	

#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>Io</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>io</sub> , LD <sub>io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

#### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

$\bigcirc$	۲	٢		Ð	<b>(</b>		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$			$\diamondsuit$		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment