

Page 1 of 6 BTI-098

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 10/8/2019 SDS Revision: 1.0 1. PRODUCT & COMPANY IDENTIFICATION 11 Product Name OXYPRIME® XT 1.2 Chemical Name: Sodium Sulfate Mixture 1.3 Synonyms 882060, 882075 1.4 Trade Names: OxyPrime® XT 1.5 Product Use: Primer for TruTemp® XT/XTR Distributor's Name: 1.6 Birchwood Laboratories LLC Distributor's Address: 17 7900 Fuller Road, Eden Prairie, MN 55344 USA 18 Emergency Phone: ChemTrec +1 (800) 424-9300 / +1 (703) 527-3887 or Poison Control Center +1 (855) 281-1742 1.9 Business Phone / Fax: +1 (952) 937-7900 / +1 (952) 937-7979 2. HAZARDS IDENTIFICATION 2.1 Hazard Identification: Prepared in accordance with UN Globally Harmonized standards. Intended to comply with OSHA 29 CFR 1910.1200. Canadian WHMIS and Australian Work Health and Safety. DANGER! CAUSES SERIOUS EYE DAMAGE. CAUSES SKIN IRRITATION. HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS. Classification: Eye Dam. 1; Skin Irrit. 2; Aquatic Chronic 3 22 Label Flements: Hazard Statements (H): H318 - Causes serious eye damage. H315 - Causes skin irritation. H412 Harmful to aquatic life with long lasting effects. Precautionary Statements (P): P264 - Wash hands and exposed skin areas thoroughly with soap and warm water after handling. P270 - Do not eat drink or smoke when using this product. P273 -Avoid release to the environment. P280 - Wear protective gloves/eye protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P321 - For specific first aid treatment (see section 4 of this Safety Data Sheet). P330 - Rinse mouth. P405 - Store Locked up. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). Other Warnings: In the event of an exposure or medical inquiry involving this product, please contact a physician or local poison control center, who may seek advice from the U.S. manufacturer, and show them this SDS. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m3) ACGIH NOHSC OSHA ppm ppm ppm ES-ES-ES-CHEMICAL NAME(S) RTECS No. EINECS No. TLV STEL STEL PEAK PEL STEL IDLH OTHER CAS No. TWA 7681-38-1 60-100 NA 231-665-7 NA NA NF NF NF NA NA NA SODIUM BISULFATE Eye Damage 1; H318 226-218-8 10-30 5329-14-6 NA NA NA NF NF NF NA NA NA SULFAMIC ACID Skin Irrit. 2; Eye Irrit. 2A; Aquatic chronic 3; H315, H319, H412 7757-82-6 WE1650000 231-820-9 5-15 NA NA NF NF NF NA NA NA SODIUM SULFATE PROPRIETARY CHLORIDE NA NA NA 1-13 NA NA NF NF NF NA NA NA COMPOUND 4. FIRST AID MEASURES DO NOT INDUCE VOMITING. Contact SafetyCall +1 (855) 281-1742 or the nearest Poison Control 4 1 First Aid: Ingestion: Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, Eyes: holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately. Skin: Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists and/or the skin reaction worsens, contact a physician immediately. Do not wear contaminated clothing until after it has been properly cleaned. Inhalation: Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial respiration. Seek immediate medical attention. Effects of Exposure: 4.2 Ingestion: Severe burns of mouth, throat and stomach. Possible symptoms include nausea, vomiting, and abdominal Eyes: Causes burns, severe or permanent eye damage. Severe irritation and possible burns. Skin:

If inhaled, severe irritation of respiratory tract and mucous membranes; coughing, difficulty breathing.



Page 2 of 6 BTI-098

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 10/8/2019 SDS Revision: 1.0 4. FIRST AID MEASURES - cont'd 4.3 Symptoms of Overexposure: Nausea, vomiting, severe abdominal pain. Ingestion: Redness, burning, irritation, and swelling around eyes Eyes: Redness, burning, itching, rash, blistering of skin. Skin: Coughing, wheezing, swelling of throat, irritation in mucous membranes, difficulty breathing. Acute Health Effects: 4.4 Material is extremely destructive to the tissue of the eye. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin or inhaled. 4.5 Chronic Health Effects: May also damage the kidneys. 4.6 Target Organs: Eyes, skin, lungs (corrosive). 4.7 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the target 3 HEALTH Aggravated by Exposure: organs (eyes, skin) or impaired kidney function may be more susceptible **FLAMMABILITY** 0 to the effects of this substance. PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT Н **EYES** SKIN LUNGS 5. FIREFIGHTING MEASURES Fire & Explosion Hazards: Non-flammable. May react with metals to release hydrogen gas, which can form explosive mixtures with air. May intensity fire; oxidizer. Extinguishing Methods: 5.2 Use fire-extinguishing media appropriate for surrounding materials. 5.3 Firefighting Procedures: As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, phosphorous, selenium and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective 6.1 Equipment (PPE). Use safety glasses or safety goggles and face shield, use gloves and other protective clothing (e.g., apron, boots, etc.) to prevent skin contact. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-sparking shovel and broom to pick up the product and place into a container for later disposal. Large Spills: Keep incompatible materials (e.g., organics such as oil, oxidizers) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free solid as possible and collect in acid-resistant container. Avoid discharging material directly into a sewer or surface waters. 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: Avoid breathing powders or dusts. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Immediately clean-up and decontaminate any spills or residues. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Store in acid-resistant containers. Keep containers covered when not in use. Keep away from incompatible substances (see Section 10). Protect containers from physical damage. Store away from strong oxidizers, cyanides and strong reducing agents. Special Precautions: 7.3 Empty containers may retain hazardous product residues. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION .8.1 Exposure Limits: NOHSC OSHA OTHER ppm (mg/m<sup>3</sup>) ES-CHEMICAL NAME(S) TLV STEL **ES-TWA** PEAK PEL STEL IDLH NA NA NF NF NF NA NA 8.2 Ventilation & Engineering Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the Controls: handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eyewash station) 8.3 Respiratory Protection: In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.



12.3

Effects on Aquatic Life:

to overexposed aquatic life.

### SAFETY DATA SHEET

Page 3 of 6 BTI-098

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 10/8/2019 SDS Revision: 1.0 8. EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd Eye Protection: 8 4 Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended. 8.5 Hand Protection: Wear protective, chemical-resistant gloves (e.g., neoprene) when using or handling this product. A chemical resistant apron and/or protective clothing are recommended when handling or using this 8.6 Body Protection: 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: White powder 9.2 Mild odor 9.3 Odor Threshold: NΑ 9.4 pΗ NA 9.5 Melting Point/Freezing Point: NA 9.6 Initial Boiling Point/Boiling NA Range: 9.7 Flashpoint NA 9.8 Upper/Lower Flammability NA Limits: 9.9 Vapor Pressure: NA 9.10 Vapor Density NA 9.11 Relative Density: NA 9.12 Solubility Complete (water) 9.13 Partition Coefficient (log Pow): NA 9.14 Autoignition Temperature: NA 9.15 Decomposition Temperature: NA 9.16 Viscosity: NA 9.17 Other Information: NA 10. STABILITY & REACTIVITY Stability 10.1 10.2 Hazardous Decomposition Thermal decomposition may produce sulfur oxides. Products: 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid: High temperatures and incompatible substances. Incompatible Substances: 10.5 Strong oxidizers, cyanides and strong reducing agents. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Routes of Entry: 111 Ingestion: YES 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product and is presented below: Sodium Bisulfate: LD<sub>50</sub> (oral, rat) 2,490 mg/kg. Sulfamic Acid: LD<sub>50</sub> (oral, rat) 3,160mg/kg See Section 4.4 11.3 Acute Toxicity: 11.4 Chronic Toxicity: See Section 4.5 11.5 Suspected Carcinogen: No 11.6 Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity This product is not reported to produce embryotoxic effects in humans Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans Irritancy of Product: 11.7 See Section 4.2 11.8 Biological Exposure Indices: ΝE Physician Recommendations: 11.9 Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability There are no specific data available for this product 12.2 Effects on Plants & Animals: Sodium Sulfate: Toxicity to fish: LC50 - Pimephales Promelas (fathead minnow) - 7,960 mg/L-96Hr. Tocicity to daphnia and other aquatic invertebrates: EC50- Daphnia magna (water flee) – 1,766 mg/L – 48Hr.

There are no specific data available for this product, however, very large releases of this product may be harmful or fatal



Page 4 of 6 BTI-098

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 10/8/2019 13. DISPOSAL CONSIDERATIONS Waste Disposal: Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler. 13.2 Special Considerations: U.S. EPA Hazardous Waste: D002 (Characteristics - Corrosivity) 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): UN3260, CORROSIVE SOLIDS, ACIDIC, INORGANIC, N.O.S. (SODIUM BISULFATE), 8, III, LTD QTY (IP VOL  $\leq$  5.0 kg) IATA (AIR): UN3260, CORROSIVE SOLIDS, ACIDIC, INORGANIC, N.O.S. (SODIUM BISULFATE), 8, III, LTD QTY (IP VOL  $\leq$  0.5 kg) IMDG (OCN): 14.3 UN3260, CORROSIVE SOLIDS, ACIDIC, INORGANIC, N.O.S. (SODIUM BISULFATE), 8, III, LTD QTY (IP VOL ≤ 5.0 kg) 14.4 TDGR (Canadian GND): UN3260, CORROSIVE SOLIDS, ACIDIC, INORGANIC, N.O.S. (SODIUM BISULFATE), 8, III, LTD QTY (IP VOL  $\leq$  5.0 kg) 14.5 ADR/RID (EU): UN3260, CORROSIVE SOLIDS, ACIDIC, INORGANIC, N.O.S. (SODIUM BISULFATE), 8, III. LTD QTY (IP VOL  $\leq$  5.0 kg) SCT (MEXICO): UN3260, SOLIDOS, CORROSIVOS, ACIDO, INORGANICO, N.E.P. (BISULFATO DE SODIO), 8, 14.6 III, CANTIDAD LIMITADA (IP VOL ≤ 5.0 kg) ADGR (AUS): UN3260, CORROSIVE SOLIDS, ACIDIC, INORGANIC, N.O.S. (SODIUM BISULFATE), 8, III, 14.7 LTD QTY (IP VOL  $\leq$  5.0 kg) 15. REGULATORY INFORMATION SARA Reporting 15.1 This product does not contain any substances subject to SARA Title III reporting requirements. Requirements There are no specific Threshold Planning Quantities for the components of this product 15.2 15.3 TSCA Inventory Status The components of this product are listed on the TSCA Inventory. 15.4 CERCLA Reportable Quantity: NA 15.5 Other Federal Requirements: NA 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class E (corrosive material). WHMIS Class D2B (materials causing other toxic effects) 15.7 State Regulatory Information: Sodium Sulfate is found on the following state criteria lists: Massachusetts Hazardous Substances List (MA), New Jersey Right-to-Know List (NJ), Pennsylvania Right-to-Know List (PA). Sulfamic Acid is fond on the following state criteria lists: PA and NJ. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). 15.8 Other Requirements: This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information, go to www.P65warnings.ca.gov.



Page 5 of 6

BTI-098

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 10/8/2019

	16. OTHER INFORMATION							
16.1	Other Information:	DANGER! CAUSES SERIOUS EYE DAMAGE. CAUSES SKIN IRRITATION. HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS. Wash hands and exposed skin areas thoroughly with soap and warm water after handling. Do not eat drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER. IF ON SKIN: Wash with plenty of soap and water. Store Locked up. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.						
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.						
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Birchwood Technologies' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.						
16.4	Prepared for:	Birchwood Technologies 7900 Fuller Road Eden Prairie, MN 55344 USA Tel: +1 (952) 937-7900 Fax: +1 (952) 937-7979 http://www.birchwoodtechnologies.com	BIRCHWOOD® TECHNOLOGIES					
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate*  Dangerous Goods Training & Consulting					



Page 6 of 6 **BTI-098** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 10/8/2019

#### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No. Chemical Abstract Service Number				
RTECS No. Registry of Toxic Effects of Chemical Substances Number				
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number			

#### **EXPOSURE LIMITS IN AIR:**

ACGIH American Conference on Governmental Industrial Hygienists		
IDLH	Immediately Dangerous to Life and Health	
NOHSC National Occupational Health and Safety Commission (Australia)		
OSHA U.S. Occupational Safety and Health Administration		
PEL Permissible Exposure Limit		
STEL Short Term Exposure Limit		
TLV Threshold Limit Value		
TWA Time Weighted Average		

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard		
1 Slight Hazard			
2	2 Moderate Hazard		
3	3 Severe Hazard		
4 Extreme Hazard			



#### PERSONAL PROTECTION RATINGS:

Α			
В	(Eller)		
С	(EV)		
D	(Eller)	The state of the s	
Е	(Ell)		
F	(E)	HA.	





#### OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic		
Irrit	Irritant		
NA	Not Available		
NR	No Results		
ND	Not Determined		
NE	NE Not Established		
NF	NF Not Found		
SCBA	Self-Contained Breathing Apparatus		
Sens	Sensitization		
STOT RE Specific Target Organ Toxicity – Repeat Exposure			
STOT SE	STOT SE   Specific Target Organ Toxicity – Single Exposure		

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:					
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition				
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				

#### **HAZARD RATINGS:**

0	Minimal Hazard	FLAMMABILITY		
1	Slight Hazard	\ \		
2	Moderate Hazard	REACTIVITY		
3	Severe Hazard			
4	Extreme Hazard			
ACD	Acidic	$\neg \qquad \bigcirc \qquad 2 \rightarrow$		
ALK	Alkaline			
COR	Corrosive	/ <b>Y ₩ Y</b>		
₩	Use No Water	HEALTH		
ОХ	Oxidizer	SPECIAL		
TREFOIL	Radioactive	PRECAUTIONS		

#### TOXICOLOGICAL INFORMATION:

Lethal Dose (solids & liquids) which kills 50% of the exposed animals		
Lethal concentration (gases) which kills 50% of the exposed animal		
Concentration expressed in parts of material per million parts		
Lowest dose to cause a symptom		
Lowest concentration to cause a symptom		
Lowest dose (or concentration) to cause lethal or toxic effects		
International Agency for Research on Cancer		
National Toxicology Program		
Registry of Toxic Effects of Chemical Substances		
Bioconcentration Factor		
Median threshold limit		
Coefficient of Oil/Water Distribution		

#### REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System		
DOT	U.S. Department of Transportation		
TC	Transport Canada		
EPA	U.S. Environmental Protection Agency		
DSL	Canadian Domestic Substance List		
NDSL	NDSL Canadian Non-Domestic Substance List		
PSL	Canadian Priority Substances List		
TSCA	U.S. Toxic Substance Control Act		
EU	European Union (European Union Directive 67/548/EEC)		
WGK	WGK Wassergefährdungsklassen (German Water Hazard Class)		

#### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>(A)</b>	<b>(2)</b>	(**)	$\odot$	<b>®</b>		R
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

	<b>(%)</b>		$\Diamond$			$\Diamond$		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment